aevitas
AEVITAS SPECIALTY SERVICES CORP.

663 Lycaste St. Detroit MI 48214
TEL: 800-323-9905 FAX: 313-499-8998

PROFILE FORM

Document Number: EMF-006 – Revision Date:2/13/2013

Please complete and review for accuracy before signing and submitting second page.

1. GENERATOR INFORMATION

Generator:
Street:
City, State Zip:
Contact:
Phone: **Fax:**

2. INVOICE INFORMATION

Customer:
Street:
City, State Zip:
P.O #:
Contact:
Phone: **Fax:**

3. MATERIAL DESCRIPTION

Material Common Name:
Vol./Freq. Generated:
Process Generating Material:

APPROVAL INFORMATION – INTERNAL USE ONLY

Approval Status:
Profile #:
Authorization: **Date:**
Billing Approved: ☐ Yes ☐ No

GENERATOR IDENTIFICATION # **G#**

4. WASTE CHARACTERIZATION

4.A. LISTED WASTE CHARACTERIZATION

Does material meet description below?	NO	YES	CODE(S)
F WASTE	☐	☐	
K WASTE	☐	☐	
P WASTE	☐	☐	
U WASTE	☐	☐	

4.B. TSCA MATERIAL

↓ ANALYTICAL TESTING REQUIRED	N/A	NO	YES	ANALYTICAL TESTING? NO	ANALYTICAL TESTING? YES
☐ Does material contain PCBs?		☐	☐	☐	☐
☐ Mixed with PCB material >50ppm?		☐	☐	☐	☐

4.C. USED OIL

↓ ANALYTICAL TESTING REQUIRED	N/A	NO	YES	ANALYTICAL TESTING? NO	ANALYTICAL TESTING? YES
☐ Is material a USED OIL?		☐	☐	☐	☐
☐ Is USED OIL mixed with a characteristic waste?	☐	☐	☐	☐	☐
USED OIL is exempt from the rebuttable presumption because:					
☐ Generator is conditionally exempt	☐	☐	☐	N/A	N/A
☐ Testing shows USED OIL to contain <1000ppm Total Halogens (attach reports(s))	☐	☐	☐	☐	☐
Rebutting the Presumption					
☐ USED OIL is mixed with a halogenated listed waste?	☐	☐	☐	☐	☐
☐ USED OIL contains significant concentrations of halogenated hazardous constituents listed in appendix VII of 40 CFR 261?	☐	☐	☐	☐	☐

4.D. WASTE CHARACTERISTICS

↓ ANALYTICAL TESTING REQUIRED		EXCEEDS LIMITS? N/A	NO	YES	ANALYTICAL TESTING? NO	YES	
☐ D001	Ignitability (Flash < 140°F)	☐	☐	☐	☐	☐	
☐ D002	Corrosivity (pH <2 or >12.5)	☐	☐	☐	☐	☐	
☐ D003	Reactivity (Reactive Cyanide 250 ppm)	☐	☐	☐	☐	☐	
☐ D003	Reactivity (Reactive Sulfide 500 ppm)	☐	☐	☐	☐	☐	

		N/A	NO	YES	NO	YES	
☐	**TCLP METALS** (For all analytes below)	☐	☐	☐	☐	☐	
☐ D004	Arsenic (5.0 ppm)		☐	☐	☐	☐	
☐ D005	Barium (100.0 ppm)		☐	☐	☐	☐	
☐ D006	Cadmium (1.0 ppm)		☐	☐	☐	☐	
☐ D007	Chromium (5.0 ppm)		☐	☐	☐	☐	
☐ D008	Lead (5.0 ppm)		☐	☐	☐	☐	
☐ D009	Mercury (0.2 ppm)		☐	☐	☐	☐	
☐ D010	Selenium (1.0 ppm)		☐	☐	☐	☐	
☐ D011	Silver (5.0 ppm)		☐	☐	☐	☐	

		N/A	NO	YES	NO	YES	
☐	**TCLP ZHE ORGANICS** (For all analytes below)	☐	☐	☐	☐	☐	
☐ D018	Benzene (0.5 ppm)		☐	☐	☐	☐	
☐ D019	Carbon Tetrachloride (0.5 ppm)		☐	☐	☐	☐	
☐ D021	Chlorobenzene (100.0 ppm)		☐	☐	☐	☐	
☐ D022	Chloroform (6.0 ppm)		☐	☐	☐	☐	
☐ D028	1,2-Dichloroethane (0.5 ppm)		☐	☐	☐	☐	
☐ D029	1,1-Dichloroethylene (0.7 ppm)		☐	☐	☐	☐	
☐ D035	Methyl Ethyl Ketone (200 ppm)		☐	☐	☐	☐	
☐ D039	Tetrachloroethylene (0.7 ppm)		☐	☐	☐	☐	
☐ D040	Trichloroethylene (0.5 ppm)		☐	☐	☐	☐	
☐ D043	Vinyl Chloride (0.2 ppm)		☐	☐	☐	☐	

↓ ANALYTICAL TESTING REQUIRED		EXCEEDS LIMITS? N/A	NO	YES	ANALYTICAL TESTING? NO	YES	
☐	**ACID EXTRACTABLES** (For all analytes below)	☐	☐	☐	☐	☐	
☐ D023	o-Cresol (200.0 ppm)		☐	☐	☐	☐	
☐ D024	m-Cresol (200.0 ppm)		☐	☐	☐	☐	
☐ D025	p-Cresol (200.0 ppm)		☐	☐	☐	☐	
☐ D026	Cresol (200.0 ppm)		☐	☐	☐	☐	
☐ D037	Pentachlorophenol (100.0 ppm)		☐	☐	☐	☐	
☐ D041	2,4,5-Trichlorophenol(400.0ppm)		☐	☐	☐	☐	
☐ D042	2,4,6-Trichlorophenol (2.0 ppm)		☐	☐	☐	☐	

		N/A	NO	YES	NO	YES	
☐	**BASE NEUT EXTRACTABLES** (For all below)	☐	☐	☐	☐	☐	
☐ D027	1,4-Dichlorobenzene (7.5 ppm)		☐	☐	☐	☐	
☐ D030	2,4-Dinitrotoluene (0.13 ppm)		☐	☐	☐	☐	
☐ D032	Hexachlorobenzene (0.13 ppm)		☐	☐	☐	☐	
☐ D033	Hexachlorobutadiene (0.5 ppm)		☐	☐	☐	☐	
☐ D034	Hexachloroethane (3.0 ppm)		☐	☐	☐	☐	
☐ D036	Nitrobenzene (2.0 ppm)		☐	☐	☐	☐	
☐ D038	Pyridine (5.0 ppm)		☐	☐	☐	☐	

		N/A	NO	YES	NO	YES	
☐	**TCLP PESTS & HERBS** (For all analytes below)	☐	☐	☐	☐	☐	
☐ D020	Chlordane (0.03 ppm)		☐	☐	☐	☐	
☐ D012	Endrin (0.02 ppm)		☐	☐	☐	☐	
☐ D031	Heptachlor (0.008 ppm)		☐	☐	☐	☐	
☐ D013	Lindane (0.4 ppm)		☐	☐	☐	☐	
☐ D014	Methoxychlor (10.0 ppm)		☐	☐	☐	☐	
☐ D015	Toxaphene (0.5 ppm)		☐	☐	☐	☐	
☐ D016	2,4-D (10.0 ppm)		☐	☐	☐	☐	
☐ D017	2,4,5-TP (1.0 ppm)		☐	☐	☐	☐	

5. According to Federal and State Waste Regulations, the material recognized as:
☐Used Oil ☐Non-hazardous Liquid Industrial Waste ☐Non-Regulated ☐Hazardous Waste ☐TSCA Waste ☐Other_____

6. According to Centralized Waste Treatment Regulations 40 CFR Part 437.47(e), the material is recognized as:
☐ Oils Subcategory Wastewater ☐ Organic Subcategory Wastewater ☐ Metals Subcategory Wastewater ☐ Not Applicable

7. CERTIFICATION: "Answers provided without supporting analytical testing are based upon my knowledge of the material and process generating the material. The provided analytical data reflects testing conducted on the material in question. Based on knowledge and belief, all information provided (including attachments) is complete and factual and is an accurate representation of the material."

Signature: _____ **Printed Name:** _____ **Date:** _____

Company: **Title:**

8. ATTACHMENTS (List)